IN THE CLAIMS

Please amend the claims as follows:

1. (original) A hair cleansing composition comprising the following components (A) to (C):

(A): an amphipathic amide lipid,

(B): an anionic surfactant, and

(C): an organic or inorganic acid, or a salt thereof, wherein the composition has a pH of from 1 to 4.5 at 25°C when diluted with water to 20 times the weight of the composition.

2. (original) The hair cleansing composition of Claim 1, wherein Component (A) is an amphipathic amide lipid selected from the group consisting of compounds represented by the following formulas (1) to (4) and mixtures thereof:

wherein, R^1 represents a linear or branched C_{1-12} hydrocarbon group which may be substituted with a hydroxy group(s) and/or alkoxy group(s), R^2 represents a linear or branched divalent C_{1-5} hydrocarbon group and R^3 represents a linear or branched divalent C_{1-22} hydrocarbon group,

wherein, R^4 represents a linear, branched or cyclic, saturated or unsaturated $C_{4\text{-}30}$ hydrocarbon group which may be substituted with hydroxy, oxo or amino group(s), Z represents a methylene group, a methine group or an oxygen atom, a broken line represents the presence or absence of a π bond, X^1 represents a hydrogen atom, an acetyl group or a

glyceryl group, or, together with the adjacent oxygen atom, forms an oxo group, X^2 , X^3 and X^4 each independently represents a hydrogen atom, a hydroxy group or an acetoxy group (with the proviso that when Z represents a methine group, one of X^2 and X^3 represents a hydrogen atom and the other does not exist, and when -O- X^1 represents an oxo group, X^4 does not exist), R^5 and R^6 each independently represents a hydrogen atom, a hydroxy group, a hydroxymethyl group or an acetoxymethyl group, R^7 represents a linear, branched or cyclic, saturated C_{5-35} hydrocarbon group which may be substituted with a hydroxy or amino group(s), or the saturated C_{5-35} hydrocarbon group in which a linear, branched or cyclic, saturated or unsaturated C_{8-22} fatty acid which may be substituted with hydroxy group(s) is ester-bonded at the ω -position of the hydrocarbon group, and R^8 represents a hydrogen atom or a linear or branched, saturated or unsaturated hydrocarbon group which may have substituent(s) selected from a hydroxy group, hydroxyalkoxy groups, alkoxy groups and an acetoxy group, and has 1 to 8 carbon atoms in total

$$R^9$$
 R^9 OH (3)

wherein, R9 represents a C10-18 alkyl group which may be substituted with hydroxy group(s),

$$\begin{array}{c|c}
 & & & R^{11} \\
 & & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & | \\
 & |$$

wherein, R^{10} represents a linear or branched, saturated or unsaturated C_{9-31} alkyl group which may be substituted with hydroxy group(s), or a 2-dodecen-1-yl succinic acid residue, m stands for an integer of from 1 to 3, R^{11} and R^{12} each represents a hydrogen atom or a C_{1-4} alkyl or hydroxyalkyl group, Y represents a linear or branched, saturated or unsaturated C_{10-32}

Application No. 10/743,836

Reply to Office Action of July 17, 2007

alkyl group which may be substituted with hydroxy group(s), or a substituent represented by the following formula:

in which, k, i and n each stands for an integer of from 1 to 3, j stands for 0 or 1, and R¹³ represents a linear or branched, saturated or unsaturated C₉₋₃₁ alkyl group which may be substituted with hydroxy group(s).

- 3. (original) The hair cleansing composition of Claim 1, wherein Component (B) is an anionic surfactant selected from the group consisting of alkyl (or alkenyl) sulfates, polyoxyalkylene alkyl (or alkenyl) ether sulfates, alkane sulfonates, olefin sulfonates, alkylbenzene sulfonates, alkyl (or alkenyl) sulfosuccinates, dialkyl (or dialkenyl) sulfosuccinates, polyoxyalkylene alkyl (or alkenyl) sulfosuccinates, alkyl (or alkenyl) ether carboxylates, polyoxyalkylene alkyl (or alkenyl) ether carboxylates, polyoxyalkylene alkyl (or alkenyl) ether carboxylates, polyoxyalkylene alkyl (or alkenyl) ether phosphates, fatty acid salts, N-acyl glutamates, N-acyl taurates, and N-acylmethyltaurine, and mixtures thereof.
- 4. (original) The hair cleansing composition of Claim 1, wherein Component (C) is an organic or inorganic acid, or a salt thereof selected from the group consisting of monocarboxylic acids, dicarboxylic acids, hydroxycarboxylic acids and polycarboxylic acids, alkylsulfuric acids and alkylphosphoric acids, and mixtures thereof.
- 5. (original) The hair cleansing composition of Claim 1, further comprising a component selected from the group consisting of silicone derivatives, cationic polymers, and mixtures thereof.

Reply to Office Action of July 17, 2007

- 6. (original) The hair cleansing composition of Claim 1, wherein the pH of the composition is from 2 to 4.
- 7. (original) The hair cleansing composition of Claim 1, further comprising a surfactant selected from the group consisting of nonionic surfactant, amphoteric surfactant, and mixtures thereof.
- 8. (original) The hair cleansing composition of Claim 1, comprising from 0.001 to 20 wt. % of Component (A).
- 9. (original) The hair cleansing composition of Claim 1, comprising from 1 to 50 wt. % of Component (B).
- 10. (new) The hair cleansing composition of Claim 1, wherein said amphipathic amide lipid is

.

- 11. (new) The hair cleansing composition of Claim 1, wherein component (C) is an organic acid and at least one selected from the group consisting of lactic acid and malic acid.
- 12. (new) The hair cleansing composition of Claim 1, comprising from 0.05 to 10 wt. % of component (C).
- 13. (new) The hair cleansing composition of Claim 1, comprising from 8 to 30 wt. % of component (B).
- 14. (new) The hair cleansing composition of Claim 1, comprising from 10 to 22 wt. % of component (B).
- 15. (new) The hair cleansing composition of Claim 1, comprising from 0.1 to 15 wt. % of Component (A).

- 16. (new) The hair cleansing composition of Claim 1, comprising from 0.2 to 3 wt. % of Component (A).
- 17. (new) The hair cleansing composition of Claim 7, wherein said surfactant is present in an amount of 0.01 to 20 wt.%.
- 18. (new) The hair cleansing composition of claim 1, further comprising a silicone derivative which is at least one selected from the group consisting of dimethylpolysiloxane, methylphenylpolysiloxane, amino-modified silicones, polyether-modified silicones, epoxymodified silicones, fluorine-modified silicones, cyclic silicones, alkyl-modified silicones and oxazoline-modified silicones.
- 19. (new) The hair cleansing composition of claim 1, further comprising a cationic polymer which is at least one selected from the group consisting of polydimethyldiallylammonium chlorides, acrylamidopropyltrimethylammonium chloride/acrylate copolymers, acrylamide/dimethyldiallylammonium chloride copolymers, methylvinylimidazolinium chloride/vinylpyrrolidone copolymers, hydroxyethyl cellulose/diallyldimethylammonium chloride copolymers, diethylsulfates of vinylpyrrolidone/dimethylaminoethyl methacrylate copolymers, vinylpyrrolidone/dimethylaminoethyl methacrylate copolymers, vinylpyrrolidone/alkylaminoacrylate/vinylcaprolactam copolymers, vinylpyrrolidone/dimethylaminopropylmethacrylamide copolymers, chlorinated O-[2-hydroxy-3-(trimethylammonio)propyl]hydroxy cellulose, and guar hydroxypropyltrimonium chloride.
 - 20. (new) The hair cleansing composition of claim 1, wherein said pH is from 3 to 4.
- 21. (new) The hair cleansing composition of claim 1, wherein component (C) is at least one organic acid or inorganic acid, or salt thereof selected from the group consisting of lactic acid, malic acid, glycolic acid, glutamic acid and phosphoric acid.